



WWW.SMITYBILT.COM

**Mesh room install instructions**  
**Part # 2594 & 2597**

<b>Mesh Room Parts list:</b>	<b>Qty</b>
Mesh room	1
Stake	4
Storage bag	1

**Note:** Actual pictures may vary from specific vehicle/ product.

Works with gen 1 and Gen 2 awnings.

2594 fits awning # 2584 & 2784

2597 fits awnings # 2587 & 2787

Awning and mesh room are for use in fair weather conditions. Heavy winds, rain, or snow will damage awning/mesh room. Always use guy ropes to tie down awning even if winds are not expected. Always use tent stakes in all four corners of mesh room to secure mesh room to the ground.



For Technical Support/Warranty Information please call 310-762-9944

Smittybilt, 400 West Artesia Blvd, Compton, CA 90220



WWW.SMITYBILT.COM

**Mesh room install instructions**  
**Part # 2594 & 2597**

**Mesh Room Install**

**Step 1:** Remove zippers from the front and rear of mesh room. Attach each zipper into the corresponding channel on the awning. The front zipper is the one with the flap and “Smittybilt” logo. Fig 1. The zippers should sit inbound of the poles. Fig 2.



Fig 1



Fig 2



**Mesh room install instructions**  
**Part # 2594 & 2597**

**Step 2:** Spread out mesh room. Position the rear door closest to the vehicle. The other door will be on the right side of the awning. Loosely attach the Velcro loops around the horizontal legs, working your way to the front of the awning. Do this on both sides. Fig 3&4.



Fig 3



Fig 4



**Mesh room install instructions**  
**Part # 2594 & 2597**

**Step 3:** Attach front wall zipper to the front zipper on the awning. You may need to release tension on the horizontal legs in order to get the zipper to attach easily. Fig 5.

**Step 4:** Carefully enter mesh room and attach back wall zipper to the rear zipper.




Fig 5



**Mesh room install instructions**  
**Part # 2594 & 2597**

**Step 5:** Attach the mesh room to the front vertical poles of the awning. Fig 6.

**Step 6:** Adjust tension on the horizontal poles if needed.

**Step 7:** Secure mesh room to the ground with the supplied ground stakes, there will be one at each corner of the mesh room.

Reverse steps to remove mesh room.

Zippers may be left on the awning during storage.



Fig 6



## Mesh room install instructions Part # 2594 & 2597

### Care Instructions

1. Do not expose to petrol, oil or solvents.
2. Zippers can be lubed with a silicon spray or bee's wax, this keeps them lubed and helps with water resistance. Clean zippers with a soft brush, rinse with water then re-apply zipper lube.
3. If the fabric needs deep cleaning, use a mild detergent mixture ( 1 cup Lysol all-purpose cleaner to 1 gallon of warm water) use with a soft brush to clean fabric as needed. Rinse off the awning with a rinse solution of ( 1 cup lemon juice, 1 cup sea salt to 1 gallon of warm water). Final rinse with cool water. Allow to dry completely before storage.

### Limited Warranties

Smittybilt's products are covered under various limited warranties only. Note that the duration of the limited warranty differs according to the material and finish of the product purchased. Overland awnings carry a 1 year warranty from date of purchase. Subject to the duration and conditions of the limited warranty stated below, Smittybilt warrants to the original retail purchaser that its products are free from defects in material and workmanship. Smittybilt shall not be responsible for the natural wear and breakdown of materials that occurs with extended use, such as UV damage or worn zippers, abuse, misuse, storm damage, or improper care. All other warranties and representations express or implied, are hereby disclaimed, including fitness for merchantability and buyer's intended use or purpose. All parts are sold "AS IS" except for the limited warranties granted herein. Buyer assumes all risks as to the selection, suitability and performance of all goods and products selected. This limited warranty does not cover damage or impairment in any part due to misuse, improper installation, accident or contact with on-road or off-road hazards, product modification, improper or inadequate cleaning and/or maintenance. Smittybilt is not responsible for items damaged during shipping. This warranty is not transferable from the original buyer. For the original Buyer to be eligible for the limited warranty coverage, the Buyer must provide proof of purchase. Smittybilt strongly recommends returning the warranty registration card.

Customer's remedy hereunder shall be limited only to repair or replacement (at Smittybilt's option) of any defective part(s) returned to Smittybilt at customer's expense. The determination of whether or not a returned part is defective or subject to coverage under the limited warranties stated herein shall be made at Smittybilt's sole discretion. Any returns must be made freight pre-paid by consumer.

To assure product quality, Smittybilt reserves the right to change product design, material, specification and finishes without prior notice to customers. This limited warranty gives you specific legal rights and you may also have other rights, which may vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply as to you. Also, some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. Smittybilt reserves the right to discontinue product lines and substitute products, or provide other remedies than those listed in this limited warranty for those discontinued products.

### Warning

Rollover and other types of vehicle accidents may result in serious injury or death to you, your passengers and others sharing the road. Smittybilt accessories are decorative and are not intended to reduce or avoid injury or damage in the event of an accident. The weight and location of Smittybilt accessories may affect your vehicles' handling, stability and performance, creating an increased risk of accident or rollover. Before installing any accessory, check state laws and assure that the accessory will not obscure any lights or interfere with proper operation on your vehicle's safety equipment. Consult your owner's manual and the Smittybilt instructions, or additional safety information. Smittybilt products, nor the warnings contained herein, are not a substitute for your safe driving. Don't drink and drive, always use seat belts and don't drive faster than conditions permit.