



WWW.SMITTYBILT.COM

# Installation Instructions

## Trail Shade

Part #5662424

**NOTE: Carefully read entire instructions thoroughly before attempting to install this part.**

Parts Included	Qty
Storage Bag	1
Shade Cover	1
Cover Hold Down Strap	3

Parts Included	Qty
Collapsible Pole	2
Shock Cord	2
Shock Cord Stake	2

**Note:** The Trail Shade is a universally fitting product that can be mounted on roof racks, baskets, roll cages, spare tires, ect. Use these instructions as a guide to install on the previously mentioned accessories. The Trail shade is completely portable and can be carried like a traditional back pack or mounted on some accessories. (Fig A, B)



(Fig A)



(Fig B)



(Fig C)

**Step 1:** To attach storage bag on spare tire simply disconnect the two vertical buckles on the back of the bag and slide the strap through the spokes of the wheel and then connect to the opposite side on top of the tire. (Fig C)

**Step 2:** Remove the contents for the bag. Including poles, cord, steak, straps, and shade cover. (Fig D-F)



(Fig D)



(Fig E)



(Fig F)

**For Technical Support/Warranty Information please call 310-762-9944**

Smittybilt, 400 West Artesia Blvd, Compton, CA 90220




WWW.SMITTYBILT.COM

## Installation Instructions

### Trail Shade

Part #5662424

**Step 3:** Wrap the 3 long straps with buckles around the tire going through the spokes on the wheel. The strap will around the back of the tire, through the wheel and connect with the sewn on buckle. The excess straps goes back down through the wheel towards the back. The female buckle should be on top near the outside of the tire. (Fig G) Place the straps evenly apart (Fig H, I). The straps are long in order to accommodate different size wheel tire combinations and accessories. You can fold and tie the excess strap together in the back of the wheel or if you prefer, cut with a sharp knife.



(Fig G)



(Fig H)



(Fig I)

**Step 4:** Spread the Shade Cover out, with the buckle end towards the mounting straps. Connect the 3 male buckles on the end of the Shade Cover to the 3 female buckles on the straps you previously installed and pull straps tight. (Fig J, K)



(Fig J)



(Fig K)



(Fig L)

**Step 5:** Assemble the two poles, insert the tip of the pole through the eyelet on the front corners of the Shade Cover. (Fig L) This can be done by one person, having assistance can ease the process.

**Step 6:** Attach the cord to the top of the pole and pull forward and attach the cord to the ground when the optimal location is determined with the included stake. Repeat on other side. Once up, you can make the required adjustments to make sure the Trail Shade is tight by spreading out the poles and making sure the cords are tight. Installation is no complete. (Fig M,N, O)

**For Technical Support/Warranty Information please call 310-762-9944**





WWW.SMITTYBILT.COM

## Installation Instructions

### Trail Shade

Part #5662424




(Fig M)



(Fig N)



(Fig O)



(Before)



(After)

### Limited Warranties

Smittybilt's products are covered under the following limited warranties only. Note that the duration of the limited warranty differs according to the material and finish of the product purchased. Subject to the duration and conditions of the limited warranty stated below, Smittybilt warrants to the original retail purchaser that its products are free from defects in material and workmanship. All other warranties and representations express or implied, are hereby disclaimed, including fitness for merchantability and buyer's intended use or purpose. All parts are sold "AS IS" except for the limited warranties granted herein. Buyer assumes all risks as to the selection, suitability and performance of all goods and products selected. This limited warranty does not cover damage or impairment in any part due to misuse, improper installation, accident or contact with on-road or off-road hazards, product modification, improper or inadequate cleaning and/or maintenance. Smittybilt is not responsible for items damaged during shipping. This warranty is not transferable from the original buyer. For the original Buyer to be eligible for the limited warranty coverage, the Buyer must provide proof of purchase. Smittybilt strongly recommends returning the warranty registration card.

Customer's remedy hereunder shall be limited only to repair or replacement (at Smittybilt's option) of any defective part(s) returned to Smittybilt at customer's expense. The determination of whether or not a returned part is defective or subject to coverage under the limited warranties stated herein shall be made at Smittybilt's sole discretion.

Smittybilt soft/cut & sew products carry the foregoing limited repair or replacement warranty for a period of (1) one-year **against workmanship and defects in the material** from the date of purchase.

To assure product quality, Smittybilt reserves the right to change product design, material, specification and finishes without prior notice to customers. This limited warranty gives you specific legal rights and you may also have other rights, which may vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply as to you. Also, some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. Smittybilt reserves the right to discontinue product lines and substitute products, or provide other remedies than those listed in this limited warranty for those discontinued products.

**For Technical Support/Warranty Information please call 310-762-9944**

**Smittybilt, 400 West Artesia Blvd, Compton, CA 90220**